

## In-Built Controller Brushless Solar Pump

- 1. Easy installation and easy operation, connect with solar panel directly no need external controller.
- 2. Can be powered by both solar panel and battery.
- 3. Brushless permanent magnetic motor, controller inside, long working life and high working efficiency.
- 4. Dry-running auto protection.
- 5. Franklin motor standard.
- 6. High-quality full SS304 materials.
- 7. Thicker material, more durable, more power.
- 8. Water cooled motor.





## 3SPN1-5P 58 PSI Max 40M-3.5m3/h-48V-300W/0.4 HP

| m3/h | 3.5   | 3.2   | 2.9   | 2.5   | 2.0   | 1.6   | 1.2   | 0.7    | 0   |
|------|-------|-------|-------|-------|-------|-------|-------|--------|-----|
| GPM  | 15.32 | 14    | 12.68 | 11.10 | 8.72  | 7.13  | 5.28  | 3.43   | 0   |
| H(F) | 0     | 16.41 | 32.81 | 48.23 | 65.62 | 82.05 | 98.43 | 114.87 | 131 |

| Motor DIM&Power      | 3" / 300w            |  |  |
|----------------------|----------------------|--|--|
| Voltage              | 20-40V Best: 30-40V  |  |  |
| Solar Panel Proposal | 340W*1 PCS or 2X200W |  |  |
| Pump DIM             | 3"                   |  |  |
| Pump Outlet          | 1.5"                 |  |  |

| More     | Pump Outlet           |      |  |
|----------|-----------------------|------|--|
| 3SPN3-3P | 23M-6.0m3/h-48V-300W  | 1.5" |  |
| 4SPN4-2P | 20M-5.6m3/h-48V-300W  | 2"   |  |
| 4SPN8-1P | 10M-10.5m3/h-48V-300W | 2"   |  |



## 3SPN1-5P 58 PSI Max 40M-3.5m3/h-48V-300W/0.4 HP

